

# **ES-YDS-Series** Liquid Nitrogen Containers





#### Features

- Durable aluminium structure;
- Matching freezing shelves and freezing boxes;
- Large capacity and low liquid nitrogen consumption;
- Optional safety lock cover structure to prevent others from unlocking without authorization;
- Optional liquid level monitoring system;
- Optional transport vehicle;
- EU CE certification;
- Five-year vacuum quality assurance.

### Description

Designed for long-term storage, it is easy to take and place samples; The marked freezing shelves and freezing boxes are convenient for quickly and effectively finding the required samples;

It can be equipped with liquid level monitor to monitor the liquid level height in real time and send out low level sound and light alarm.

Provide advanced intelligent bottle stoppers to protect irreplaceable biological samples. When the liquid nitrogen page is low, it will be alerted by Wechat alarm in time.





## Specification

	MOL	DEL ES-YDS-10-125-F	ES-YDS-30-125-F	ES-YDS-35-125-F	ES-YDS-47-127-6Y	ES-YDS-50B-125-F				
		Performance								
LN2 Capacity (L)		10	31.5	35.5	47	50				
Weight Empty (kg)		6.3	13	14.6	18.2	17.3				
Neck Opening (mm)		125	125	125	127	125				
Outer Diameter (mm)		300	462	462	508	462				
Overall Height (mm)		554	704	748	718	818				
Static Evaporation Rate (L/day)		0.42	0.35	0.36	0.36	0.45				
Static Holding Time (day)		24	90	97	130	110				
			Maximum Storage Capacity							
Racks 2ml Freezing Tube	Number of Racks (ea)	1	6/7	6/7	6/7	6/7				
	Rack Dimension (mm)	82×84	82×84	82×84	105 × 100	82×84				
	Vial Boxes Dimension (mm)	$76 \times 76$	$76 \times 76$	76×76	98	76×76				
	Boxes per Rack (ea)	4	4	5	5	6				
	1.2; 1.8 & 2 ml Vials (Internally Threade	ed) 100	600/700	750/875	1110/1295	900/1050				
Racks 5ml Freezing Tube	Number of Racks (ea)									
	Rack Dimension (mm)			—						
	Vial Boxes Dimension (mm)									
	Boxes per Rack (ea)									
	1.2; 1.8 & 2 ml Vials (Internally Threade	ed)		—						
			Optional Accessories							
Lockable Lid			$\sim$	$\checkmark$	$\checkmark$	$\checkmark$				
PU Bag			$\sim$	$\checkmark$		$\checkmark$				
SmartCap		$\checkmark$	$\sim$	$\checkmark$	$\checkmark$	$\checkmark$				
Roller Base			$\sim$	$\sim$	$\checkmark$	$\checkmark$				



#### MODEL ES-YD5-65:216-F ES-YD5-95:216·F ES-YD5-115:216.F ES-YDS-145:216-F ES-YD5-175-216·F

			Performance					
LN2 Capacity (L)		65	95	115	145	175		
Weight Empty (kg)		38.3	41.3	42.3	48.9	53.8		
Neck Opening (mm)		216	216	216	216	216		
Outer Diameter (mm)		681	681	681	681	681		
Overall Height (mm)		712	774	846	946	1060		
Static Evaporation Rate (L/day)		0.78	0.97	0.94	0.96	0.95		
Static Holding Time (day)		83	98	122	151	184		
		Maximum Storage Capacity						
Racks 2ml Freezing Tube	Number of Racks (ea)	6/7	6/7	6/7	6/7	6/7		
	Rack Dimension (mm)	$142 \times 144$	142×144	142×144	142×144	$142 \times 144$		
	Vial Boxes Dimension (mm)	$134 \times 134$	$134 \times 134$	134 × 134	134 × 134	134 × 134		
	Boxes per Rack (ea)	4	5	6	8	10		
	1.2; 1.8 & 2 ml Vials (Internally Threaded)	2400/2800	3000/3500	3600/4200	4800/5600	6000/7000		
Racks 5ml Freezing Tube	Number of Racks (ea)	6/7	6/7	6/7	6/7	6/7		
	Rack Dimension (mm)	$142 \times 144$	142×144	$142 \times 144$	142×144	$142 \times 144$		
	Vial Boxes Dimension (mm)	$134 \times 134$	$134 \times 134$	134 × 134	$134 \times 134$	134 × 134		
	Boxes per Rack (ea)	2	2	3	4	5		
	1.2; 1.8 & 2 ml Vials (Internally Threaded)	972/1134	972/1134	1458/1701	1944/2268	2430/2835		
		Optional Accessories						
Lockable Lid			$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$		
PU Bag								
SmartCap		$\sim$	$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$		
Roller Base			$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$		



ESSE3 srl, Via Garibaldi 30 14022 Castelnuovo D.B. (AT) Tel +39 011 99 27 706 Fax +39 011 99 27 506 e-mail esse3@chierinet.it web: www.esse3.dreamgest.com

