



ESV-935 Ventilator



- Classical emergency transport ventilator
- Pneumatically driven pneumatically controlled, no extra electric power needed
- Oxygen concentrator adjustable
- Adult/child parameter in different color, easy to operate
- Simple hose connecting, time saving
- Compact and portable
- Can be used at emergency department, emergency station, county hospital , clinic and patient's inter-departmental transfer



Technical Specification

Specification

- Modes of ventilation
Intermittent Positive Pressure Ventilation (IPPV)
Suction function
- Parameter
MV : 3~20 L/min (used in 60%)
Respiratory rate: 10~60bpm
I:E ratio: 1:1.5
FiO₂: 60%,100%
- Monitoring
Pressure values: P_{aw}

Technical data

- Gas supply: O₂, 0.3~0.5MPa
- Maximum security pressure: 6kPa
- Compliance: 4mL/100Pa
- Noise: 65dB(A)
- Dimensions (H×W×D) : 110× 256×142mm
- Weight: 2.65kg

Environment requirement

- Temperature: -5°C~40°C (Operation)
-10°C~40°C (Storage)
- Relative humidity: ≤80% (Operation)
≤93% (Storage)
- Atmospheric pressure: 80~106kPa (Operation)



ESSE 3 Via Garibaldi 30
14022Castelnuovo D.B. (AT)
tel +39 011 99 27 706
fax +39 011 99 27 506
e-mail esse3@chierinet.it
web : www.esse3-medical.com

