
FIM 150 A







Version: A - Air cooled condenser

- Flake ice.
- Storage insulated bin made in non-toxic plastic material with polyurethane-foam insulation and closed with a tilting plastic door.
- Sensor to stop the ice production while the storage bin is full.
- Nr 4 adjustable feet, made in plastic material.
- Water inlet and outlet located in the rear part of the appliance. The water inlet is 3/4" size, while the water outlet is 24 mm Ø. Both the pipes for the water inlet and outlet are included in the machine, the one for the inlet is about 110 cm long, while the outlet is about 50 cm.
- Bottom mounted cooling unit with the condensing unit compounded by Nr 1 hermetic compressor and Nr 1 finned condenser air cooled through a fan.

TECHNICAL FEATURES	
Product Code	CAB500
Refrigerant Gas	R290
Climatic Class	+16°C / +38°C (ST)
External Dimensions (W x D x H mm)	740 x 690 x 1150
Water consumption (liters/Kg)	1





	ELECTRICAL DATA	
Power Supply (V/ph/Hz)	220-230/1/50	
Power Plug	Туре F	

STRUCTURAL FEATURES	
External Material	Stainless steel 18/10 AISI 304
Production Kg/24h	150
Storage Capacity (Kg)	55

ACCESSORIES
Refrigerant R452a
Voltage 230V/1ph/60Hz
Voltage 115V/1ph/60Hz
Plug type A
Plug type B
Plug type G
Plug type I
Wooden crate packing



105